






Your ACC/ACHE performance is critical on your production process.



Cleaning Result before/after



Regain up to 15% in performance.

-  To keep maximal capacity of heat transfer.
-  For smooth production and revenue generation.
-  Maintenance management cost.
-  To prevent excessive equipment use.
-  To reduce greenhouse gas.

Automatic Water Cleaning



**+15 %
of performance***

Based on our strong experience in ACC/ACHE, we have designed a time saving cleaning solution:

- **Easy to install:**
 - Few steps installation
 - No tools needed
 - Light weight
 - Quickly operational
- **Easy to use:**
 - Increased productivity
 - Automated process
 - High adoption
 - Reduced training cost
- **Easy to maintain:**
 - Minimized downtime
 - Enhanced durability
 - Improved reliability

Why to use the AX Cleaner® ?



Cleaning process capability

✓ Equipment designed for the adapted cleaning performance



Cleaning process repeatability

✓ Same cleaning quality and result at each operation



Operator oriented

✓ User driven design



No risk of damaging the heat exchangers

✓ Designed for equipment care



Operator safety

✓ Operator remains on walkways, no need of scaffolding.



Time efficiency

• Secured planning intervention times easy fit within downtime periods



Water consumption

✓ Cleaning efficiency, no over water consumption

